


FEMALE TERMINAL ADAPTER

This adapter is generally used for joining phenolic conduit with galvanized rigid steel (GRS) conduit. It has the same threads as GRS conduit and can easily be attached to GRS conduit.

Nominal Size	Type	IPS Item No.	D	L	Weight lbs	kg
¾	SW	07E-SW-32	1.06 (27)	3 (76)	0.07	(0.03)
1	SW	10E-SW-32	1.32 (34)	3 (76)	0.13	(0.06)
1¼	SW	12E-SW-32	1.67 (42)	3 (76)	0.18	(0.08)
1½	SW	15E-SW-32	1.91 (49)	3 (76)	0.21	(0.10)
2	SW	20E-SW-32	2.40 (61)	5 (127)	0.47	(0.21)
3	SW	30E-SW-32	3.52 (89)	5 (127)	0.80	(0.36)
4	SW	40E-SW-32	4.47 (114)	5 (127)	1.05	(0.48)
4	HW	40E-HW-32	4.52 (115)	5 (127)	1.00	(0.45)
5	MW	50E-MW-32	5.59 (142)	5 (127)	1.05	(0.48)
5	HW	50E-HW-32	5.63 (143)	5 (127)	1.00	(0.45)
6	MW	60E-MW-32	6.66 (169)	5 (127)	1.10	(0.50)
6	HW	60E-HW-32	6.69 (170)	5 (127)	1.05	(0.48)

Nominal Size	Type	ID Item No.	D	L	Weight lbs	kg
2	SW	20F-SW-32	2.16 (55)	5 (127)	0.75	(0.34)
2½	SW	25F-SW-32	2.66 (55)	5 (127)	1.00	(0.45)
3	SW	30F-SW-32	3.16 (80)	5 (127)	1.08	(0.49)
3½	SW	35F-SW-32	3.66 (93)	5 (127)	1.18	(0.54)
4	SW	40F-SW-32	4.16 (106)	5 (127)	1.25	(0.57)
4	HW	40F-HW-32	4.20 (107)	5 (127)	1.08	(0.49)
4½	SW	45F-SW-32	4.66 (118)	5 (127)	1.50	(0.68)
4½	HW	45F-HW-32	4.70 (119)	5 (127)	1.40	(0.64)
5	MW	50F-MW-32	5.20 (132)	5 (127)	1.75	(0.80)
5	HW	50F-HW-32	5.24 (133)	5 (127)	1.65	(0.75)
6	MW	60F-MW-32	6.20 (157)	5 (127)	2.00	(0.91)
6	HW	60F-HW-32	6.24 (158)	5 (127)	1.83	(0.83)

Nominal Size	Type	Item No.	D	L	Weight lbs	kg
¾	XW	07E-XW-32	1.44 (36)	3 (76)	0.30	(0.14)
1	XW	10E-XW-32	1.70 (43)	3 (76)	0.38	(0.17)
1¼	XW	12E-XW-32	2.05 (52)	3 (76)	0.45	(0.20)
1½	XW	15E-XW-32	2.29 (58)	3 (76)	0.60	(0.27)
2	XW	20F-XW-32	2.52 (64)	5 (127)	1.20	(0.55)
2½	XW	25F-XW-32	3.03 (77)	5 (127)	0.85	(0.38)
3	XW	30F-XW-32	3.52 (89)	5 (127)	1.40	(0.64)
3½	XW	35F-XW-32	4.03 (102)	5 (127)	1.28	(0.58)
4	XW	40F-XW-32	4.52 (115)	7 (178)	2.08	(0.94)
5	XW	50F-XW-32	5.52 (140)	7 (178)	2.60	(1.18)
6	XW	60F-XW-32	6.52 (166)	7 (178)	3.51	(1.59)



SLEEVE COUPLING

Nominal Size	Type	IPS Item No.	D	L	Weight lbs	kg
¾	SW	07E-SW-42	1.06 (27)	6 (152)	0.06	(0.03)
1	SW	10E-SW-42	1.32 (34)	6 (152)	0.08	(0.04)
1¼	SW	12E-SW-42	1.67 (42)	6 (152)	0.10	(0.05)
1½	SW	15E-SW-42	1.91 (49)	6 (152)	0.11	(0.05)
2	SW	20E-SW-42	2.40 (61)	6 (152)	0.20	(0.09)
3	SW	30E-SW-42	3.52 (89)	6 (152)	0.30	(0.14)
4	SW	40E-SW-42	4.47 (114)	6 (152)	0.36	(0.16)
4	HW	40E-HW-42	4.52 (115)	6 (152)	0.50	(0.23)
5	MW	50E-MW-42	5.59 (142)	6 (152)	0.60	(0.27)
5	HW	50E-HW-42	5.63 (143)	6 (152)	0.70	(0.32)
6	MW	60E-MW-42	6.66 (169)	6 (152)	0.80	(0.36)
6	HW	60E-HW-42	6.69 (170)	6 (152)	0.90	(0.41)

Nominal Size	Type	ID Item No.	D	L	Weight lbs	kg
2	SW	20F-SW-42	2.16 (55)	6 (152)	0.17	(0.08)
2½	SW	25F-SW-42	2.66 (68)	6 (152)	0.21	(0.10)
3	SW	30F-SW-42	3.16 (80)	6 (152)	0.24	(0.11)
3½	SW	35F-SW-42	3.66 (93)	6 (152)	0.32	(0.15)
4	SW	40F-SW-42	4.16 (106)	6 (152)	0.35	(0.16)
4	HW	40F-HW-42	4.20 (107)	6 (152)	0.46	(0.21)
4½	SW	45F-SW-42	4.66 (118)	6 (152)	0.38	(0.17)
4½	HW	45F-HW-42	4.70 (119)	6 (152)	0.54	(0.25)
5	MW	50F-MW-42	5.20 (132)	6 (152)	0.60	(0.27)
5	HW	50F-HW-42	5.24 (133)	6 (152)	0.70	(0.32)
6	MW	60F-MW-42	6.20 (157)	6 (152)	0.83	(0.38)
6	HW	60F-HW-42	6.24 (158)	6 (152)	1.15	(0.52)

Nominal Size	Type	Item No.	D	L	Weight lbs	kg
¾	XW	07E-XW-42	1.44 (36)	6 (152)	0.22	(0.10)
1	XW	10E-XW-42	1.70 (43)	6 (152)	0.29	(0.13)
1¼	XW	12E-XW-42	2.05 (52)	6 (152)	0.36	(0.16)
1½	XW	15E-XW-42	2.29 (58)	6 (152)	0.39	(0.18)
2	XW	20F-XW-42	2.52 (64)	6 (152)	0.53	(0.24)
2½	XW	25F-XW-42	3.03 (77)	6 (152)	0.77	(0.35)
3	XW	30F-XW-42	3.52 (89)	6 (152)	0.75	(0.34)
3½	XW	35F-XW-42	4.03 (102)	6 (152)	1.12	(0.51)
4	XW	40F-XW-42	4.52 (115)	10 (254)	1.50	(0.68)
5	XW	50F-XW-42	5.52 (140)	10 (254)	2.08	(0.94)
6	XW	60F-XW-42	6.52 (166)	10 (254)	2.50	(1.13)