


STOP COUPLING

Stop coupling is sometimes referred to as a double bell coupling.

Nominal Size	Type	IPS Item No.	D		Weight			
			lbs	kg	lbs	kg		
3/4	SW	07E-SW-40	1.06	(27)	6	(152)	0.07	(0.03)
1	SW	10E-SW-40	1.32	(34)	6	(152)	0.08	(0.04)
1 1/4	SW	12E-SW-40	1.67	(42)	6	(152)	0.09	(0.04)
1 1/2	SW	15E-SW-40	1.91	(49)	6	(152)	0.11	(0.05)
2	SW	20E-SW-40	2.40	(61)	6	(152)	0.20	(0.10)
3	SW	30E-SW-40	3.52	(89)	6	(152)	0.30	(0.14)
4	SW	40E-SW-40	4.47	(114)	6	(152)	0.43	(0.20)
4	HW	40E-HW-40	4.52	(115)	6	(152)	0.58	(0.26)
5	MW	50E-MW-40	5.59	(142)	6	(152)	0.70	(0.31)
5	HW	50E-HW-40	5.63	(143)	6	(152)	0.90	(0.41)
6	MW	60E-MW-40	6.66	(169)	6	(152)	0.85	(0.39)
6	HW	60E-HW-40	6.69	(170)	6	(152)	0.95	(0.43)

Nominal Size	Type	ID Item No.	D		Weight			
			lbs	kg	lbs	kg		
2	SW	20F-SW-40	2.16	(55)	6	(152)	0.20	(0.09)
2 1/2	SW	25F-SW-40	2.66	(68)	6	(152)	0.25	(0.11)
3	SW	30F-SW-40	3.16	(80)	6	(152)	0.30	(0.14)
3 1/2	SW	35F-SW-40	3.66	(93)	6	(152)	0.35	(0.16)
4	SW	40F-SW-40	4.16	(106)	6	(152)	0.40	(0.18)
4	HW	40F-HW-40	4.20	(107)	6	(152)	0.54	(0.25)
4 1/2	SW	45F-SW-40	4.66	(118)	6	(152)	0.45	(0.20)
4 1/2	HW	45F-HW-40	4.70	(119)	6	(152)	0.60	(0.27)
5	MW	50F-MW-40	5.20	(132)	6	(152)	0.68	(0.31)
5	HW	50F-HW-40	5.24	(133)	6	(152)	0.80	(0.36)
6	MW	60F-MW-40	6.20	(157)	6	(152)	0.80	(0.36)
6	HW	60F-HW-40	6.24	(158)	6	(152)	0.92	(0.42)

Nominal Size	Type	Item No.	D		Weight			
			lbs	kg	lbs	kg		
3/4	XW	07E-XW-40	1.44	(36)	6	(152)	0.22	(0.10)
1	XW	10E-XW-40	1.70	(43)	6	(152)	0.29	(0.13)
1 1/4	XW	12E-XW-40	2.05	(52)	6	(152)	0.36	(0.16)
1 1/2	XW	15E-XW-40	2.29	(58)	6	(152)	0.39	(0.18)
2	XW	20F-XW-40	2.52	(64)	6	(152)	0.65	(0.29)
2 1/2	XW	25F-XW-40	3.03	(77)	6	(152)	0.77	(0.35)
3	XW	30F-XW-40	3.52	(89)	6	(152)	0.95	(0.43)
3 1/2	XW	35F-XW-40	4.03	(102)	6	(152)	1.12	(0.51)
4	XW	40F-XW-40	4.52	(115)	10	(254)	2.00	(0.91)
5	XW	50F-XW-40	5.52	(140)	10	(254)	2.50	(1.13)
6	XW	60F-XW-40	6.52	(166)	10	(254)	2.90	(1.32)



5° DOUBLE BELL COUPLING

Other angles can also be manufactured, such as 2.5° etc. Please contact factory for consultation.

Nominal Size	Type	IPS Item No.	D		Weight			
			lbs	kg	lbs	kg		
3/4	SW	07E-SW-44	1.06	(27)	6	(152)	0.07	(0.03)
1	SW	10E-SW-44	1.32	(34)	6	(152)	0.09	(0.04)
1 1/4	SW	12E-SW-44	1.67	(42)	6	(152)	0.11	(0.05)
1 1/2	SW	15E-SW-44	1.91	(49)	6	(165)	0.13	(0.06)
2	SW	20E-SW-44	2.40	(61)	6	(152)	0.22	(0.10)
3	SW	30E-SW-44	3.52	(89)	6	(152)	0.32	(0.46)
4	SW	40E-SW-44	4.47	(114)	6	(152)	0.40	(0.18)
4	HW	40E-HW-44	4.52	(115)	6	(152)	0.60	(0.27)
5	MW	50E-MW-44	5.59	(142)	6	(152)	0.65	(0.30)
5	HW	50E-HW-44	5.63	(143)	6	(152)	0.75	(0.34)
6	MW	60E-MW-44	6.66	(169)	6	(152)	0.85	(0.39)
6	HW	60E-HW-44	6.69	(170)	6	(152)	0.95	(0.43)

Nominal Size	Type	ID Item No.	D		Weight			
			lbs	kg	lbs	kg		
2	SW	20F-SW-44	2.16	(55)	6	(152)	0.18	(0.08)
2 1/2	SW	25F-SW-44	2.66	(68)	6	(152)	0.22	(0.10)
3	SW	30F-SW-44	3.16	(80)	6	(152)	0.25	(0.11)
3 1/2	SW	35F-SW-44	3.66	(93)	6	(152)	0.32	(0.15)
4	SW	40F-SW-44	4.16	(106)	6	(152)	0.36	(0.16)
4	HW	40F-HW-44	4.20	(107)	6	(152)	0.48	(0.22)
4 1/2	SW	45F-SW-44	4.66	(118)	6	(152)	0.40	(0.18)
4 1/2	HW	45F-HW-44	4.70	(119)	6	(152)	0.56	(0.25)
5	MW	50F-MW-44	5.20	(132)	6	(152)	0.63	(0.29)
5	HW	50F-HW-44	5.24	(133)	6	(152)	0.73	(0.33)
6	MW	60F-MW-44	6.20	(157)	6	(152)	0.85	(0.39)
6	HW	60F-HW-44	6.24	(158)	6	(152)	1.20	(0.55)

Nominal Size	Type	Item No.	D		Weight			
			lbs	kg	lbs	kg		
3/4	XW	07E-XW-44	1.44	(36)	6	(152)	0.22	(0.10)
1	XW	10E-XW-44	1.70	(43)	6	(152)	0.29	(0.13)
1 1/4	XW	12E-XW-44	2.05	(52)	6	(152)	0.36	(0.16)
1 1/2	XW	15E-XW-44	2.29	(58)	6	(152)	0.39	(0.18)
2	XW	20F-XW-44	2.52	(64)	6	(152)	0.55	(0.25)
2 1/2	XW	25F-XW-44	3.03	(77)	6	(152)	0.77	(0.35)
3	XW	30F-XW-44	3.52	(89)	6	(152)	0.89	(0.40)
3 1/2	XW	35F-XW-44	4.03	(102)	6	(152)	1.02	(0.51)
4	XW	40F-XW-44	4.52	(115)	10	(254)	1.53	(0.67)
5	XW	50F-XW-44	5.52	(140)	10	(254)	2.17	(0.98)
6	XW	60F-XW-44	6.52	(166)	10	(254)	2.55	(1.16)