

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 05/19/2021

Reviewed on 05/19/2021

### \* 1 Identification

- **Product identifier**
- **Trade name: Cured Phenolic Conduit**
- **Relevant identified uses of the substance or mixture and uses advised against** Conduit and Fittings
- **Product description** Phenolic Resin and Continuous Fiber Glass (Cured Thermoset Composites)
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Champion Fiberglass, Inc.  
6400 Spring Stuebner Rd.  
Spring, TX 77389  
Phone: 281.655.8900  
Fax: 281.257.2523  
[www.championfiberglass.com](http://www.championfiberglass.com)
- **Emergency telephone number:** 281.655.8900

### \* 2 Hazard(s) identification

- **Classification of the substance or mixture**



Skin Irrit. 2 H315 Causes skin irritation.  
Skin Sens. 1 H317 May cause an allergic skin reaction.  
STOT SE 3 H335 May cause respiratory irritation.  
Eye Irrit. 2B H320 Causes eye irritation.

- **Label elements**
- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



- **Signal word** Warning
- **Hazard-determining components of labeling:**  
Proprietary
- **Hazard statements**  
Causes skin and eye irritation.  
May cause an allergic skin reaction.  
May cause respiratory irritation.
- **Precautionary statements**  
Avoid breathing dust/fume/gas/mist/vapors/spray  
Use only outdoors or in a well-ventilated area.  
Wear protective gloves.  
Wash thoroughly after handling.  
Contaminated work clothing must not be allowed out of the workplace.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.  
Continue rinsing.

(Contd. on page 2)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 05/19/2021

Reviewed on 05/19/2021

**Trade name: Cured Phenolic Conduit**

Specific treatment (see on this label).

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a poison center/doctor if you feel unwell.

Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

If on skin: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Unknown acute toxicity:**


75 percent of the mixture consists of ingredient(s) of unknown toxicity.

- **Classification system:**

- **NFPA ratings (scale 0 - 4)**



- **HMIS-**



- **ratings (scale 0 - 4)**

Health = 1  
Fire = 1  
Reactivity = 0

- **Other hazards** None known

### \* 3 Composition/information on ingredients

65977-17-3	Fiber Glass	70-90%
25986-71-4	Phenolic Resin	15-35%

- **Chemical characterization: Mixtures**

- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous Components:**

Proprietary Acute Tox. 4, H302; Eye Irrit. 2A, H319; Skin Sens. 1, H317 2-12%

- **Additional information:**

Products are glassy hard and inert to most things. Cutting, grinding, sanding, or other machine operations, may generate nuisance dust, which can cause skin, eye, and respiratory tract irritations.

### \* 4 First-aid measures

- **Description of first aid measures**

- **After inhalation:**

Remove to fresh air. Dust in throat and nasal passages should clear spontaneously. Seek medical attention for discomfort or if coughing or other symptoms do not subside.

In case of unconsciousness, place patient securely on side position for transportation.

- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

- **After eye contact:**

Do NOT rub eyes. Immediately rinse opened eye(s) for at least 15 minutes under running water, lifting upper and lower lids occasionally. If symptoms persist, consult a physician.

Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.

- **After swallowing:** If swallowed and symptoms occur, consult a doctor.

(Contd. on page 3)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 05/19/2021

Reviewed on 05/19/2021

**Trade name: Cured Phenolic Conduit**

- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### \* 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
Use fire fighting measures that suit the environment.  
CO<sub>2</sub>, sand, dry chemical, water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture**  
If product is incinerated it may release toxic fumes including: Oxides of Carbon and Nitrogen (NO<sub>x</sub>), Aldehydes.
- **Advice for firefighters**
- **Protective equipment:**  
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

### \* 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Keep away from ignition sources  
Avoid raising and breathing dust, and provide adequate ventilation.  
Avoid contact with skin, eyes and clothing.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Ensure adequate ventilation.  
Pick up mechanically.  
Dispose of the collected material according to regulations.  
Dispose contaminated material as waste according to section 13.  
Use water spray to knock down nuisance dusts.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### \* 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of dust.  
Avoid contact with skin, eyes and clothing  
Keep away from sources of ignition.  
Use personal protection equipment as outlined in section 8.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.

(Contd. on page 4)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 05/19/2021

Reviewed on 05/19/2021

**Trade name: Cured Phenolic Conduit**

- **Specific end use(s)** No further relevant information available.

### \* 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.

- **Control parameters**

All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94). Use local exhaust at filling zones and where leakage and dust formation is probable. Use mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to keep Exposure Limits in Air below TLV & PEL limits.

- **Components with occupational exposure limits:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- **Breathing equipment:**

Respiratory protection is not required unless handling of the material produces nuisance airborne concentrations.

- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

- **Eye protection:** Tightly sealed goggles

### \* 9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

**Form:**

Solid

**Color:**

Black

•

**Odor:** Odorless

•

**Odor threshold:** Not determined.

(Contd. on page 5)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 05/19/2021

Reviewed on 05/19/2021

**Trade name: Cured Phenolic Conduit**

• <b>pH-value:</b>	Not applicable.
• <b>Change in condition</b>	
<b>Melting point/Melting range:</b>	Not determined.
<b>Boiling point/Boiling range:</b>	1000 °C (1832 °F)
• <b>Flash point:</b>	Not applicable.
• <b>Flammability (solid, gaseous):</b>	Not determined.
• <b>Ignition temperature:</b>	
<b>Decomposition temperature:</b>	Not determined.
• <b>Auto igniting:</b>	Product is not selfigniting.
• <b>Danger of explosion:</b>	Product does not present an explosion hazard.
• <b>Explosion limits:</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
• <b>Vapor pressure:</b>	Not applicable.
• <b>Density @ 20 °C (68 °F):</b>	1.7-1.9 g/cm <sup>3</sup> (14.187-15.85 lbs/gal)
• <b>Relative density</b>	Not determined.
• <b>Vapour density</b>	Not applicable.
• <b>Evaporation rate</b>	Not applicable.
• <b>Solubility in / Miscibility with Water:</b>	Insoluble.
• <b>Partition coefficient (n-octanol/water):</b>	Not determined.
• <b>Viscosity:</b>	
<b>Dynamic:</b>	Not applicable.
<b>Kinematic:</b>	Not applicable.
• <b>Solvent content:</b>	
<b>Solids content:</b>	100.0 %
• <b>Other information</b>	No further relevant information available.

### \* 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:**
- **Hazardous decomposition products:** Oxides of Carbon and Nitrogen (NO<sub>x</sub>), Aldehydes.

(Contd. on page 6)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 05/19/2021

Reviewed on 05/19/2021

**Trade name: Cured Phenolic Conduit**

### \* 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

#### 25068-38-6 Epoxy resin

Oral LD50 >2000 mg/kg (rat)

Dermal LD50 >2000 mg/kg (rat)

- **Primary irritant effect:**

- **on the skin:**

Irritant to skin and mucous membranes.

May cause an allergic skin reaction.

- **on the eye:**

Irritating effect.

Causes serious eye irritation.

- **Sensitization:** Sensitization possible through skin contact.

- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients are listed.

Group 1 - Carcinogenic to humans

Group 2A - Probably carcinogenic to humans

Group 2B - Possibly carcinogenic to humans

Group 3 - Not classifiable as to its carcinogenicity to humans

Group 4 - Probably not carcinogenic to humans

- **NTP (National Toxicology Program)**

None of the ingredients are listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients are listed.

### \* 12 Ecological information

- **Toxicity**

- **Aquatic toxicity:**

#### 25068-38-6 Epoxy resin

EC50 3.6 mg/l (daphnia)

- **Persistence and degradability** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:** Not known to be hazardous to water.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

(Contd. on page 7)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 05/19/2021

Reviewed on 05/19/2021

**Trade name: Cured Phenolic Conduit**

- **Other adverse effects** No further relevant information available.

### \* 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. **Uncleaned packagings:**
- **Recommendation:**  
Disposal must be made according to official regulations.  
Dispose of as unused product.

### \* 14 Transport information

- |  |                        |
|--|------------------------|
| • <b>UN-Number</b>   |                        |
| • <b>DOT, ADR, ADN, IMDG, IATA</b>   | Non-Regulated Material |
| • <b>UN proper shipping name</b>   |                        |
| • <b>DOT, ADR, ADN, IMDG, IATA</b>   | Non-Regulated Material |
| • <b>Transport hazard class(es)</b>  |                        |
| • <b>DOT, ADR, ADN, IMDG, IATA</b>   |                        |
| • <b>Class</b>   | Non-Regulated Material |
| • <b>Packing group</b>   |                        |
| • <b>DOT, ADR, IMDG, IATA</b>  | Non-Regulated Material |
| • <b>Environmental hazards:</b>  | Not applicable.        |
| • <b>Special precautions for user</b>  | Not applicable.        |
| • <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable.        |
| • <b>UN "Model Regulation":</b>  | -                      |

### \* 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

- **Section 355 (extremely hazardous substances):**

None

- **Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

- **TSCA (Toxic Substances Control Act):**

25986-71-4 Phenolic Resin

7732-18-5 water, distilled, conductivity or of similar purity

- **Proposition 65**

- **Chemicals known to cause cancer:**

None

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

(Contd. on page 8)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 05/19/2021

Reviewed on 05/19/2021

**Trade name: Cured Phenolic Conduit**

- **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

- **Carcinogenic categories**

- **EPA (Environmental Protection Agency)**

None of the ingredients are listed.

- **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients are listed.

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients are listed.

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS07

- **Signal word** Warning

- **Hazard-determining components of labeling:**

Proprietary

- **Hazard statements**

Causes skin and eye irritation.

May cause an allergic skin reaction.

May cause respiratory irritation.

- **Precautionary statements**

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area.

Wear protective gloves.

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Specific treatment (see on this label).

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a poison center/doctor if you feel unwell.

Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

If on skin: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- **National regulations:**

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

(Contd. on page 9)



## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 05/19/2021

Reviewed on 05/19/2021

**Trade name: Cured Phenolic Conduit**

<b>• State Right to Know</b>		
CAS: 65977-17-3	Fiber Glass	70-90%
CAS: 25986-71-4	Phenolic Resin	15-35%
	Proprietary Acute Tox. 4, H302; Eye Irrit. 2A, H319; Skin Sens. 1, H317	2-12%
CAS: 7732-18-5 RTECS: ZC 0110000	water, distilled, conductivity or of similar purity	≤ 2.5%
All ingredients are listed.		

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

- **Date of preparation / last revision** 03/04/2015 / -

- **Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road  
 ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 IMDG: International Maritime Code for Dangerous Goods  
 DOT: US Department of Transportation  
 IATA: International Air Transport Association  
 ACGIH: American Conference of Governmental Industrial Hygienists  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 NFPA: National Fire Protection Association (USA)  
 HMIS: Hazardous Materials Identification System (USA)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 Acute Tox. 4: Acute toxicity, Hazard Category 4  
 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2  
 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A  
 Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B  
 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1  
 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

- **\* Data compared to the previous version altered.**

SDS created by MSDS Authoring Services [www.msdsauthoring.com](http://www.msdsauthoring.com) (877) 204-9106