


# Conduit Bodies



## TYPE C

	NOMINAL		XW ITEM NO ABOVE GROUND	L		H		W		H1		D		VOLUME		WEIGHT	
	SIZE	TYPE		INCH	(MM)	INCH	(MM)	INCH	(MM)	INCH	(MM)	INCH	(MM)	CU IN	(CM <sup>3</sup> )	LBS	(KG)
<input type="checkbox"/>	3/4"	XW	07C-XW-C	8.375"	(213)	2.375"	(60)	1.840"	(47)	1.000"	(25)	1.435"	(36)	13.90"	(228)	0.70	(0.32)
<input type="checkbox"/>	1"	XW	10C-XW-C	8.375"	(213)	2.375"	(60)	1.840"	(47)	1.000"	(25)	1.700"	(43)	13.90"	(228)	0.70	(0.32)
<input type="checkbox"/>	1-1/4"	XW	12C-XW-C	10.125"	(257)	2.875"	(73)	2.540"	(64)	1.188"	(30)	2.045"	(52)	32.00"	(524)	1.20	(0.54)
<input type="checkbox"/>	1-1/2"	XW	15C-XW-C	10.125"	(257)	2.875"	(73)	2.540"	(64)	1.188"	(30)	2.285"	(58)	32.00"	(524)	1.10	(0.50)
<input type="checkbox"/>	2"	XW	20D-XW-C	13.375"	(340)	4.000"	(102)	3.040"	(77)	1.812"	(46)	2.520"	(64)	70.75"	(1,160)	2.50	(1.13)
<input type="checkbox"/>	2-1/2"	XW	25D-XW-C	13.375"	(340)	4.000"	(102)	3.040"	(77)	1.812"	(46)	3.025"	(77)	70.75"	(1,160)	2.50	(1.13)
<input type="checkbox"/>	3"	XW	30D-XW-C	21.750"	(552)	6.000"	(152)	5.875"	(149)	3.000"	(76)	3.520"	(89)	425.00"	(6,964)	4.24	(1.92)
<input type="checkbox"/>	3-1/2"	XW	30D-XW-C	21.750"	(552)	6.000"	(152)	5.875"	(149)	3.000"	(76)	4.025"	(102)	425.00"	(6,964)	4.24	(1.92)
<input type="checkbox"/>	4"	XW	40D-XW-C	21.750"	(552)	6.000"	(152)	5.875"	(149)	3.000"	(76)	4.520"	(115)	425.00"	(6,964)	4.24	(1.92)




## TYPE LB

	NOMINAL		XW ITEM NO ABOVE GROUND	L		H		W		H1		H2		D		VOLUME		WEIGHT	
	SIZE	TYPE		INCH	(MM)	INCH	(MM)	INCH	(MM)	INCH	(MM)	INCH	(MM)	INCH	(MM)	CU IN	(CM <sup>3</sup> )	LBS	(KG)
<input type="checkbox"/>	3/4"	XW	07C-XW-LB	7.375"	(187)	2.375"	(60)	1.840"	(47)	1.000"	(25)	3.900"	(99)	1.435"	(36)	13.90"	(228)	0.70	(0.32)
<input type="checkbox"/>	1"	XW	10C-XW-LB	7.375"	(187)	2.375"	(60)	1.840"	(47)	1.000"	(25)	3.900"	(99)	1.700"	(43)	13.90"	(228)	0.70	(0.32)
<input type="checkbox"/>	1-1/4"	XW	12C-XW-LB	9.000"	(229)	2.875"	(73)	2.540"	(64)	1.188"	(30)	4.875"	(124)	2.045"	(52)	32.00"	(524)	1.20	(0.54)
<input type="checkbox"/>	1-1/2"	XW	15C-XW-LB	9.000"	(229)	2.875"	(73)	2.540"	(64)	1.188"	(30)	4.875"	(124)	2.285"	(58)	32.00"	(524)	1.10	(0.50)
<input type="checkbox"/>	2"	XW	20D-XW-LB	11.250"	(286)	4.000"	(102)	3.040"	(77)	1.812"	(46)	6.687"	(170)	2.520"	(64)	70.75"	(1,160)	2.50	(1.13)
<input type="checkbox"/>	2-1/2"	XW	25D-XW-LB	11.250"	(286)	4.000"	(102)	3.040"	(77)	1.812"	(46)	6.687"	(170)	3.025"	(77)	70.75"	(1,160)	2.50	(1.13)
<input type="checkbox"/>	3"	XW	30D-XW-LB	16.125"	(410)	6.000"	(152)	5.875"	(149)	3.000"	(76)	8.750"	(222)	3.520"	(89)	425.00"	(6,964)	4.25	(1.92)
<input type="checkbox"/>	3-1/2"	XW	30D-XW-LB	16.125"	(410)	6.000"	(152)	5.875"	(149)	3.000"	(76)	8.750"	(222)	4.025"	(102)	425.00"	(6,964)	4.25	(1.92)
<input type="checkbox"/>	4"	XW	40D-XW-LB	16.125"	(410)	6.000"	(152)	5.875"	(149)	3.000"	(76)	8.750"	(222)	4.520"	(115)	425.00"	(6,964)	4.25	(1.92)




**TYPE LL**

	NOMINAL		XW ITEM NO ABOVE GROUND	L		H		W		W1		H1		D		VOLUME		WEIGHT	
	SIZE	TYPE		INCH	(MM)	INCH	(MM)	INCH	(MM)	INCH	(MM)	INCH	(MM)	INCH	(MM)	CU IN	(CM <sup>3</sup> )	LBS	(KG)
<input type="checkbox"/>	3/4"	XW	07C-SW-LL	7.375"	(187)	2.375"	(60)	1.840"	(47)	3.500"	(89)	1.000"	(25)	1.435"	(36)	13.90"	(228)	0.70	(0.32)
<input type="checkbox"/>	1"	XW	10C-SW-LL	7.375"	(187)	2.375"	(60)	1.840"	(47)	3.500"	(89)	1.000"	(25)	1.700"	(43)	13.90"	(228)	0.70	(0.32)
<input type="checkbox"/>	1-1/4"	XW	12C-SW-LL	9.000"	(229)	2.875"	(73)	2.540"	(64)	4.500"	(114)	1.188"	(30)	2.045"	(52)	32.00"	(524)	1.20	(0.54)
<input type="checkbox"/>	1-1/2"	XW	15C-SW-LL	9.000"	(229)	2.875"	(73)	2.540"	(64)	4.500"	(114)	1.188"	(30)	2.285"	(58)	32.00"	(524)	1.10	(0.50)
<input type="checkbox"/>	2"	XW	20D-SW-LL	11.250"	(286)	4.000"	(102)	3.040"	(77)	5.500"	(140)	1.812"	(46)	2.520"	(64)	70.75"	(1,160)	2.50	(1.13)
<input type="checkbox"/>	2-1/2"	XW	25D-SW-LL	11.250"	(286)	4.000"	(102)	3.040"	(77)	5.500"	(140)	1.812"	(46)	3.025"	(77)	70.75"	(1,160)	2.50	(1.13)
<input type="checkbox"/>	3"	XW	30D-SW-LL	16.125"	(410)	6.000"	(152)	5.875"	(149)	8.750"	(222)	3.000"	(76)	3.520"	(89)	425.00"	(6,964)	4.24	(1.92)
<input type="checkbox"/>	3-1/2"	XW	35D-SW-LL	16.125"	(410)	6.000"	(152)	5.875"	(149)	8.750"	(222)	3.000"	(76)	4.025"	(102)	425.00"	(6,964)	4.24	(1.92)
<input type="checkbox"/>	4"	XW	40D-SW-LL	16.125"	(410)	6.000"	(152)	5.875"	(149)	8.750"	(222)	3.000"	(76)	4.520"	(115)	425.00"	(6,964)	4.24	(1.92)




**TYPE LR**

	NOMINAL		XW ITEM NO ABOVE GROUND	L		H		W		W1		H1		D		VOLUME		WEIGHT	
	SIZE	TYPE		INCH	(MM)	INCH	(MM)	INCH	(MM)	INCH	(MM)	INCH	(MM)	INCH	(MM)	CU IN	(CM <sup>3</sup> )	LBS	(KG)
<input type="checkbox"/>	3/4"	XW	07C-SW-LR	7.375"	(187)	2.375"	(60)	1.840"	(47)	3.500"	(89)	1.000"	(25)	1.435"	(36)	13.90"	(228)	0.70	(0.32)
<input type="checkbox"/>	1"	XW	10C-SW-LR	7.375"	(187)	2.375"	(60)	1.840"	(47)	3.500"	(89)	1.000"	(25)	1.700"	(43)	13.90"	(228)	0.70	(0.32)
<input type="checkbox"/>	1-1/4"	XW	12C-SW-LR	9.000"	(229)	2.875"	(73)	2.540"	(64)	4.500"	(114)	1.188"	(30)	2.045"	(52)	32.00"	(524)	1.20	(0.54)
<input type="checkbox"/>	1-1/2"	XW	15C-SW-LR	9.000"	(229)	2.875"	(73)	2.540"	(64)	4.500"	(114)	1.188"	(30)	2.285"	(58)	32.00"	(524)	1.10	(0.50)
<input type="checkbox"/>	2"	XW	20D-SW-LR	11.250"	(286)	4.000"	(102)	3.040"	(77)	5.500"	(140)	1.812"	(46)	2.520"	(64)	70.75"	(1,160)	2.50	(1.13)
<input type="checkbox"/>	2-1/2"	XW	25D-SW-LR	11.250"	(286)	4.000"	(102)	3.040"	(77)	5.500"	(140)	1.812"	(46)	3.025"	(77)	70.75"	(1,160)	2.50	(1.13)
<input type="checkbox"/>	3"	XW	30D-SW-LR	16.125"	(410)	6.000"	(152)	5.875"	(149)	8.750"	(222)	3.000"	(76)	3.520"	(89)	425.00"	(6,964)	4.24	(1.92)
<input type="checkbox"/>	3-1/2"	XW	35D-SW-LR	16.125"	(410)	6.000"	(152)	5.875"	(149)	8.750"	(222)	3.000"	(76)	4.025"	(102)	425.00"	(6,964)	4.24	(1.92)
<input type="checkbox"/>	4"	XW	40C-SW-LR	16.125"	(410)	6.000"	(152)	5.875"	(149)	8.750"	(222)	3.000"	(76)	4.520"	(115)	425.00"	(6,964)	4.24	(1.92)




**TYPE T**

	NOMINAL		XW ITEM NO ABOVE GROUND	L		H		W		W1		H1		D		VOLUME		WEIGHT	
	SIZE	TYPE		INCH	(MM)	INCH	(MM)	INCH	(MM)	INCH	(MM)	INCH	(MM)	INCH	(MM)	CU IN	(CM <sup>3</sup> )	LBS	(KG)
<input type="checkbox"/>	3/4"	XW	07C-XW-T	8.375"	(213)	2.375"	(60)	1.840"	(47)	3.500"	(89)	1.000"	(25)	1.435"	(36)	13.90"	(228)	0.70	(0.32)
<input type="checkbox"/>	1"	XW	10C-XW-T	8.375"	(213)	2.375"	(60)	1.840"	(47)	3.500"	(89)	1.000"	(25)	1.700"	(43)	13.90"	(228)	0.70	(0.32)
<input type="checkbox"/>	1-1/4"	XW	12C-XW-T	10.125"	(257)	3.000"	(76)	2.540"	(64)	4.437"	(113)	1.188"	(30)	2.045"	(52)	32.00"	(524)	1.40	(0.64)
<input type="checkbox"/>	1-1/2"	XW	15C-XW-T	10.125"	(257)	3.000"	(76)	2.540"	(64)	4.437"	(113)	1.188"	(30)	2.285"	(58)	32.00"	(524)	1.30	(0.59)
<input type="checkbox"/>	2"	XW	20D-XW-T	13.375"	(340)	4.000"	(102)	3.040"	(77)	5.500"	(140)	1.812"	(46)	2.520"	(64)	70.75"	(1,160)	2.80	(1.27)
<input type="checkbox"/>	2-1/2"	XW	25D-XW-T	13.375"	(340)	4.000"	(102)	3.040"	(77)	5.500"	(140)	1.812"	(46)	3.025"	(77)	70.75"	(1,160)	2.50	(1.13)
<input type="checkbox"/>	3"	XW	30D-XW-T	21.750"	(552)	6.000"	(152)	5.875"	(149)	8.750"	(222)	3.000"	(76)	3.520"	(89)	425.00"	(6,964)	4.24	(1.92)
<input type="checkbox"/>	3-1/2"	XW	35D-XW-T	21.750"	(552)	6.000"	(152)	5.875"	(149)	8.750"	(222)	3.000"	(76)	4.025"	(102)	425.00"	(6,964)	4.24	(1.92)
<input type="checkbox"/>	4"	XW	40D-XW-T	21.750"	(552)	6.000"	(152)	5.875"	(149)	8.750"	(222)	3.000"	(76)	4.520"	(115)	425.00"	(6,964)	4.24	(1.92)




**TYPE TB**

	NOMINAL		XW ITEM NO ABOVE GROUND	L		H		W		H1		H2		D		VOLUME		WEIGHT	
	SIZE	TYPE		INCH	(MM)	INCH	(MM)	INCH	(MM)	INCH	(MM)	INCH	(MM)	INCH	(MM)	CU IN	(CM <sup>3</sup> )	LBS	(KG)
<input type="checkbox"/>	3/4"	XW	07C-XW-TB	8.375"	(213)	2.375"	(60)	1.840"	(47)	1.000"	(25)	3.900"	(99)	1.435"	(36)	13.90"	(228)	0.70	(0.32)
<input type="checkbox"/>	1"	XW	10C-XW-TB	8.375"	(213)	2.375"	(60)	1.840"	(47)	1.000"	(25)	3.900"	(99)	1.700"	(43)	13.90"	(228)	0.70	(0.32)
<input type="checkbox"/>	1-1/4"	XW	12C-XW-TB	10.125"	(257)	3.000"	(76)	2.540"	(64)	1.188"	(30)	4.875"	(124)	2.045"	(52)	32.00"	(524)	1.40	(0.64)
<input type="checkbox"/>	1-1/2"	XW	15C-XW-TB	10.125"	(257)	3.000"	(76)	2.540"	(64)	1.188"	(30)	4.875"	(124)	2.285"	(58)	32.00"	(524)	1.30	(0.59)
<input type="checkbox"/>	2"	XW	20D-XW-TB	13.375"	(340)	4.000"	(102)	3.040"	(77)	1.812"	(46)	6.687"	(170)	2.520"	(64)	70.75"	(1,160)	2.80	(1.27)
<input type="checkbox"/>	2-1/2"	XW	25D-XW-TB	13.375"	(340)	4.000"	(102)	3.040"	(77)	1.812"	(46)	6.687"	(170)	3.025"	(77)	70.75"	(1,160)	2.50	(1.13)
<input type="checkbox"/>	3"	XW	30D-XW-TB	21.750"	(552)	6.000"	(152)	5.875"	(149)	3.000"	(76)	8.750"	(222)	3.520"	(89)	425.00"	(6,964)	4.24	(1.92)
<input type="checkbox"/>	3-1/2"	XW	35D-XW-TB	21.750"	(552)	6.000"	(152)	5.875"	(149)	3.000"	(76)	8.750"	(222)	4.025"	(102)	425.00"	(6,964)	4.24	(1.92)
<input type="checkbox"/>	4"	XW	40D-XW-TB	21.750"	(552)	6.000"	(152)	5.875"	(149)	3.000"	(76)	8.750"	(222)	4.520"	(115)	425.00"	(6,964)	4.24	(1.92)



**TYPE X**

	NOMINAL		XW ITEM NO ABOVE GROUND	L		H		W		W1		H1		D		VOLUME		WEIGHT	
	SIZE	TYPE		INCH	(MM)	INCH	(MM)	INCH	(MM)	INCH	(MM)	INCH	(MM)	INCH	(MM)	CU IN	(CM <sup>3</sup> )	LBS	(KG)
<input type="checkbox"/>	3/4"	XW	07C-XW-X	8.375"	(213)	2.375"	(60)	1.840"	(47)	4.750"	(121)	1.000"	(25)	1.435"	(36)	13.90"	(228)	0.70	(0.32)
<input type="checkbox"/>	1"	XW	10C-XW-X	8.375"	(213)	2.375"	(60)	1.840"	(47)	4.750"	(121)	1.000"	(25)	1.700"	(43)	13.90"	(228)	0.70	(0.32)
<input type="checkbox"/>	1-1/4"	XW	12C-XW-X	10.125"	(257)	3.000"	(76)	2.540"	(64)	6.437"	(163)	1.188"	(30)	2.045"	(52)	32.00"	(524)	1.60	(0.73)
<input type="checkbox"/>	1-1/2"	XW	15C-XW-X	10.125"	(257)	3.000"	(76)	2.540"	(64)	6.437"	(163)	1.188"	(30)	2.285"	(58)	32.00"	(524)	1.50	(0.68)
<input type="checkbox"/>	2"	XW	20D-XW-X	13.375"	(340)	4.000"	(102)	3.040"	(77)	7.188"	(182)	1.812"	(46)	2.520"	(64)	70.75"	(1,160)	3.00	(1.36)
<input type="checkbox"/>	2-1/2"	XW	25D-XW-X	13.375"	(340)	4.000"	(102)	3.040"	(77)	7.188"	(182)	1.812"	(46)	3.025"	(77)	70.75"	(1,160)	2.50	(1.13)
<input type="checkbox"/>	3"	XW	30D-XW-X	21.750"	(552)	6.000"	(152)	5.875"	(149)	11.500"	(292)	3.000"	(76)	3.520"	(89)	425.00"	(6,964)	4.24	(1.92)
<input type="checkbox"/>	3-1/2"	XW	35D-XW-X	21.750"	(552)	6.000"	(152)	5.875"	(149)	11.500"	(292)	3.000"	(76)	4.025"	(102)	425.00"	(6,964)	4.24	(1.92)
<input type="checkbox"/>	4"	XW	40D-XW-X	21.750"	(552)	6.000"	(152)	5.875"	(149)	11.500"	(292)	3.000"	(76)	4.520"	(115)	425.00"	(6,964)	4.24	(1.92)



**THERMOPLASTIC PLUG**

	NOMINAL		ITEM NO
	SIZE	TYPE	
<input type="checkbox"/>	3/4"	XW	07-ID-26
<input type="checkbox"/>	1"	XW	10-ID-26
<input type="checkbox"/>	1-1/4"	XW	12-ID-26
<input type="checkbox"/>	1-1/2"	XW	15-ID-26
<input type="checkbox"/>	2"	XW	20-ID-26
<input type="checkbox"/>	2-1/2"	XW	25-ID-26
<input type="checkbox"/>	3"	XW	30-ID-26
<input type="checkbox"/>	3-1/2"	XW	35-ID-26
<input type="checkbox"/>	4"	XW	40-ID-26
<input type="checkbox"/>	5"	XW	50-ID-26
<input type="checkbox"/>	6"	XW	60-ID-26



The thermoplastic plugs are lightweight plastic plugs that “press-fit” into the conduit or elbow ends to keep debris out of conduit and elbows.